

PHOENIX

Mc

Heard

SIC15
Phoenix
10 Oct 1966

R. HEIDEN

PHOENIX IS.
10 OCT. 1966

~~1-50 SOUTH TERN~~
~~50-150 BFB~~
~~25-75 LESSER FRIG~~
~~75-125~~
~~10-20 ROBBIN~~

2

✓ ADP
CPD
Done 2/19/69


~~WEIDEN PHOENIX~~
~~VEST COUNT OCT. 10~~

~~OCT. 10~~

~~YES COUNT~~

~~Feb 12 5 PM~~

HEIDER PHOENIX IS. 10 OCT NEST COUNT



BFB

BROWN B. HG RTTB

ONE EGG

2 EGGS



1 EGG 1 YOUNG



1 small young




2 young



~~1 large young~~

1 imm.



BLOOD

PHOENIX IS.

10 OCT. 1966

R. HEIDEN

HEIDEN PHOENIX IS. OCT. 1966

CAT#	SPECIES	SEX	AGE	COLOR PHASE	NESTING STATUS	BAND NO.
				NONE	—	863-53601
1	SOOTY TERN	U	A			602
2		U	A			603
3		U	A			604
4		U	A			605
5		U	A			606
6		U	A			607
7		U	A			608
8		U	A			609
9		U	A			610
10		U	A			611
11		U	A			612
12		U	A			613
13		U	A			614
14		U	A			615
15		U	A			616
16		U	A			617
17		U	A			618
18		U	A			619
19		U	A			620
20		U	A			

HEIDEN PHOENIX IS. 10 OCT. 19

CAT. #	SPECIES	SEX	AGE	COLOR PHASE	NESTING STATUS	BAND NO.
		U	A	WING		621
21	SOOTY TERN	U	A			622
22		U	A			623
23		U	A			624
24		U	A			625
25		U	A		POOL	626
26	POOL	U	A		POOL	627
27	POOL	U	A			628
28		U	A			629
29		U	A			630
30		U	A			631
31		U	A			632
32		U	A			633
33		U	A		POOL	634
34	POOL	U	A			635
35		U	A		POOL	636
36		U	A			637
37		U	A			638
38		U	A			639
39		U	A			640
40						

HEIDEN PHOENIX IS. OCT. 19

CAT. #	SPECIES	SEX	AGE	COLOR PHASE NONE
41	SOOTY TERN	U	A	
42		U	A	
43		U	A	
44		U	A	
45		U	A	
46		U	A	
47		U	A	
48		U	A	
49		U	A	
50		U	A	
51	BLUE FALED BOOBY	♀	A	
52		♂	A	
53		U	A	
54		♂	A	
55		♀	A	
56		♂	A	
57		♀	A	
58		♂	A	
59		♀	A	
60		♂	A	

POOL 3

BLUE FALED
BOOBY

PAIR

PAIR

PAIR
w/61

NESTING STATUS ✓ADP BAND NO.

	641
	642
	643
	644
	645
	646
	647
	648
POOL 3	649
	650 653
—	✓587-81655
—	✓757-67940
w/Lch	✓737-51243
w/Lch	(737-22882) ✓
w/Lch PAIR	757-60981 NB
w/Lch PAIR	757-60980 NB
w/Lch	(737-26112) ✓
w/ch PAIR	(737-20390) ✓
w/ch	(737-48004) ✓
w/ch PAIR	757-67847 ✓

HEIDEN PHOENIX IS.

CAT. #	SPECIES	SEX	AGE
61	BLUE-FACED BOOBY	♀	A
62		♀	A
63	PAIR	♂	A
64		♀	A
65	PAIR	♂	A
66		♀	A
67	PAIR	♂	A
68		♀	A
69	PAIR	♂	A
70		♀	A
71	PAIR	♂	A
72		♀	A
73	PAIR	♂	A
74		♀	A
75	PAIR	♂	A
76		♀	A
77	PAIR	♂	A
78		♀	A
79	PAIR	♂	A
80		♀	A

OCT. 1966

COLOR
PRAISE
NONE

NESTING STATUS

✓ADP BAND NO.

w/ch	PAIR w/bw	737-51214 ✓	982
w/ch	PAIR	(737-26103 ✓ 737-51212 ✓)	983
—			757-62221 ✓
w/ch			587-81706 ✓
w/ch			757-62273 ✓
w/ch			737-51230 ✓
w/ch	PAIR	(737-50489 ✓ 737-51404 ✓)	
w/ch	PAIR	(737-48265 ✓ 737-22566 ✓)	
w/ch	PAIR	(757-65491 ✓ 737-51401 ✓)	
w/ch	PAIR	(984 ✓ 757-62610 ✓)	
w/ch			985
2 Eggs			587- 83412 ✓
			757-63441 ✓

HEIDER PHOENIX IS.

CAT.#	SPECIES	SEX	AGE
81	BLUE-FALCO BOOBY	♀	A
82	PAIR	♂	A
83		♀	A
84	PAIR	♂	A
85		♀	A
86	PAIR	♂	A
87		♀	A
88	PAIR	♂	A
89		♀	A
90	PAIR	♂	A
91		♀	A
92	PAIR	♂	A
93		♀	A
94	PAIR	♂	A
95		♀	A
96	PAIR	♂	A
97		♀	A
98	PAIR	♂	A
99		♀	A
100		♂	A

10 OCT. 1966

COLOR
PRAISE

NONE

NESTING STATUS

✓ADP

BAND
NO.

		757-65814 ✓
w/ch	PAIR	737-26129 ✓
w/ch		737-23110 ✓
w/ch	PAIR	757-62581 ✓
w/ch		757-62571 ✓
w/ch	PAIR	737-51215 ✓
w/ch		737-48318 ✓
w/ch	PAIR	737-50170 ✓
w/Imm		757-64302 ✓
w/Imm	PAIR	757-64302 ✓
w/Imm		737-26021 ✓
w/ch	PAIR	757-67978 ✓
w/Imm		737-28489 ✓
w/ch	PAIR	737-22042 ✓
w/ch		587-81637 ✓
w/ch	PAIR	737-50212 ✓
w/ch		737-23277 ✓
w/ch	PAIR	737-28469 ✓
w/ch		757-62579 ✓
IEGC		757-67926 ✓

HEIDEN PHOENIX IS. 10 OCT. 1966 ✓ ADP

CAT. #	SPECIES	SEX	AGE	COLOR PHASE	NESTING STATUS	BAND NO.
101	BLUE-FACED BOOBY	♂	A	NONE	w/ch	737-51216 ✓
102	PAIR	♀	A	OE	PAIR	737-22608 ✓
103		♀	A	OE		737-27791 ✓
104		♀	A	w/ch		587-83406 ✓
105		♀	A	OE		986
106		♀	A	2 app		757-67864 ✓
107		♀	A	w/ch		757-64304 ✓
108		♀	A	w/ch		987
109		♀	A	vph		737-51245 ✓
110		♀	A	w/ch		737-51315 ✓
111		♀	A	w/ch		737-50488 ✓
112	PAIR	♀	A	w/ch	PAIR	757-67906 ✓
113		♀	A	— RC		568-70297 ✓
114		♀	A	— RC		757-62254 ✓
115		♀	A	— RC		757-65418 ✓
116		♀	A	— RC		757-65676 ✓
117		♀	A	— RC		988
118		♀	A	— RC		757-65688 ✓
119		♀	A	— RC		757-65664 ✓
120		♀	A	— RC		568-70259 ✓

HEIDEN PHOENIX IS. 10 OCT. 1966

✓ADP

CAT. #	SPECKS	SEX	AGE	COLOR PLAGE	NESTING STATUS	BAND NO.
121	BLUE-FACED BOOBY	♂	A	NONE	RC	989
122	PAIR	♀	A		w/ch	737-26050
123		♂	A		w/ch	737-51481
124		♀	A		w/ch Ende	737-20329
125		♂	A		RC	737-29505
126		♀	A		RC	757-65734
127		♂	A			757-65680
128		♂	A		w/ch	737-51218
129		♀	A		RC	757-65896
130		♂	A		RC	757-65548
131		♂	A		w/ch	737-51235
132	PAIR	♀	A		w/ch	757-64430
133		♂	A		w/ch	737-23689
134	PAIR	♂	A		w/ch	757-63703
135		♂	A		w/ch	737-51379
136		♀	A		w/ch	757-67993
137		♀	A		w/lmm	737-51236
138		♀	A		2 egg	737-50491
139		♀	A		w/lmm	757-67805
140		♀	A		w/ch	737-26182

HEIDEN PHOENIX IS.

10 OCT. 1966

CAT. #	SPECIES	SEX	AGE	COLOR PHASE	NESTING STATUS	BAND NO.
141	BLUE-FACED BOOBY	♀	A	NONE	—	990
142		♂	A		—	737-26139
143		♀	A		ON NEST	991
144		♂	A		ON NEST	587-84019 ✓
145		♀	A		—	757-63562 ✓
146		♂	A		—	737-50316 ✓
147		♂	A		—	757-65437 ✓
148		♂	A		—	992
149		♀	A		w/ch	757-62544 ✓
150		♂	A		w/ch	737-48279 ✓
151	LESSER FRIGATE	♂	A	NONE	w/ch	✓ 777-54301
152		♀	A		w/ch	304
153		♂	A		w/ch	303
154		♀	A		w/ch	302
155		♂	A		w/ch	306
156		♀	A		w/ch	305
157		♂	A		w/ch	307
158		♂	A		w/ch	309
159		♀	A		w/ch	308
160		♀	A		w/ch	311

HEIDEN PHOENIX IS.

10 OCT. 1966

CAT. #

SPECIES

SEX

AGE

COLOR

PHASE

NESTING STATUS

BAND

NO.

161	LESSER FRIGATE	♀	A	NONE	w/d	310
162		♀	A		w/ch	777-54270
163		♀	A		w/ch	777-54299
164		♀	A		w/ch	312
165		♂	A		w/ch	313
166		♂	A		w/ch	315
167		♀	A		w/d	317
168		♀	A		w/ch	316
169		♀	A		w/ch	314
170		♀	A		w/ch	319
171		♀	A		w/ch	318
172		♀	A		w/ch	321
173		♀	A		w/ch	320
174		♀	A		w/ch	323
175		♀	A		w/ch	324
176		♀	A		w/ch	322
177		♀	A		w/ch	325
178		♂	A		w/ch	777-54168
179		♂	A		w/ch	326
180		♂	A		w/d	777-54164

HEIDEN PHOENIA IS. 10 OCT. 1966

CAT. #	SPECIES	SEX	AGE	COLOR PHASE	NESTING STATUS	BAND NO.
181	LESSER FRIGATE	♀	A		w/ch	328
182	LESSER FRIGATE	♂	A		w/ch	327
183		♂	A		w/ch	329
184		♀	A		w/ch	777-54277
185		♀	A		w/ch	332
186		♀	A		w/ch	333
187		♀	A		w/ch	331
188		♀	A		w/ch	334
189		♂	A		w/ch	335
190		♂	A		w/ch	336
191 ✓	RABBIT					
192 ✓						
193						
194						
195						
196						
197						
198						
199						
200						

PHOENIX IS.
10 OCT. 1966

FLITE - FACTO BOOBY RETURN

(ALL ADULTS)

287-8122	♂	W/4
81706	♂	W/4
83412	♂	W/4
81637	♂	W/4
83406	♂	W/4
84019	♂	W/4

287-8122	♂	RC
81706	♂	RC

287-8122 - N

~~81706~~

~~83412~~

~~81637~~

~~83406~~

~~84019~~

05 OCT 1966

10 OCT 1966

FLITE - FACTO BOOBY RETURN

(ALL ADULTS)

287-8122	♂	W/4
81706	♂	W/4
83412	♂	W/4
81637	♂	W/4
83406	♂	W/4
84019	♂	W/4

287-8122	♂	RC
81706	♂	RC

287-8122 - N

~~81706~~

~~83412~~

~~81637~~

~~83406~~

~~84019~~

HEIDEN PHOENIX IS.

10 OCT. 1966

✓ ADP

BLUE-FACED BOOBY RETURNS
(ALL ADULTS)

	SEX	STATUS
587-81655	♀	✓
81706	♂	w/ch ✓
83412	♂	2 EGGS ✓
81637	♀	w/ch (PAIRED w/737-22042) ✓
83406	♀	✓ w/ch
84019	♂	✓ ON NEST

568-70297	♀	RC ✓
70259	♂	RC ✓

737-51243	U	w/ch ✓
22882	♂	✓ w/ch (PW 757-60981) NEW BAND

~~[scribble]~~


26112	♀	✓ w/ch (PW 757-60980) NEW BAND
(20390)	♂	✓ w/ch
48004	♀	✓ w/ch
51214	♀	✓ w/ch (PW 757-67847)

HEIDEN

PHOENIX IS.

BFB RETURNS (CONT.) 10 OCT. 1966

	<u>SEX</u>	<u>STATUS</u>
PAIR (737-26103)	♂ ✓	w/ch
51212	♀ ✓	w/ch
51230	♂ ✓	w/ch
PAIR (50469)	♀	w/ch
51404	♂	w/ch
P (48265)	♂	w/ch
22566	♀	w/ch
51401	♂	w/ch (PW 757-65491)
P (26129)	♂	w/ch
23110	♀	w/ch
51215	♂ ✓	w/ch (PW 757-62571)
P (48318)	♂ ✓	w/ch
50170	♀ ✓	w/ch
P (26021)	♀	w/ch
28489	♂	w/ch
22042	♂ ✓	w/ch (PW 587-81637)
P (50212)	♂	w/ch
23277	♀	w/ch



Spot checked

These are blood sampled birds that are listed earlier in this book

Some on next three pages of B & B. returns.

c r p f

HEIDEN PHOENIX IS.

BFB RETURNS (CONT.) 10 OCT. 1966

	<u>SEX</u>	<u>STATUS</u>
737-28469	♂	w/ch (PW 757-62579)
51216	♂	w/ch
p (22608)	♀	OE
27791	♂	OE
51245	♂	w/ch (Pw new band 757-60987)
p (51315)	♂	w/ch
50488	♀	w/ch
p (26050)	♀	w/ch
51481	♂	w/ch
20329	♀	w/ch
29505	♂	RC
51218	♂	w/ch
51235	♂	w/ch
23689	♂	w/ch (PW 757-64430)
51379	♂	w/ch
51236	♀	w/Imm. (PW 757-67805)
26182	♀	w/ch
26139	♂	—
50316	♂	—

Spent

HEIDEN

PHOENIX IS.

10 OCT. 1966

BFB RETURNS (CONT.)

	<u>SEX</u>	<u>STATUS</u>
737-48279	♂	w/ch

757-67940	♂	—
----------------------	--------------	---

60980	♂	w/ch (PW 737-26112)
------------------	--------------	---------------------

67847	♂	w/ch (PW 737-51214)
------------------	--------------	---------------------

62221	♀	—
------------------	--------------	---

62273	♂	w/ch
------------------	--------------	------

65491	♀	w/ch (PW 737-51401)
------------------	--------------	---------------------

62610	♀	w/ch (new band 757-60984)
------------------	--------------	---------------------------

63441	♂	—
------------------	--------------	---

65814	♀	—
------------------	--------------	---

62581	♀	w/ch
------------------	--------------	------

62571	♀	w/ch (PW 737-51215)
------------------	--------------	---------------------

64302	♂	w/imm.
------------------	--------------	--------

67978	♀	w/ch
------------------	--------------	------

62579	♀	w/ch (PW 737-28469)
------------------	--------------	---------------------

67926	♂	OE
------------------	--------------	----

67864	♀	2 EGGS
------------------	--------------	--------

64304	♀	w/ch
------------------	--------------	------

Spent check

HEIDEN PHOENIX IS.
10 OCT. 1966
BFB RETURNS (CONT.)

	SEX	STATUS
757-67906	♂	w/ch
62254	♀	RC
65418	♂	RC
65676	♀	RC
65688	♀	RC
65664	♀	RC
65734	♀	RC
65680	♀	—
65896	♀	RC
65548	♂	RC
64430	♀ ✓	w/ch (PW 737-23689)
63703	♂	w/ch
67993	♀	w/ch
67805	♂	w/imm. (PW 737-51236)
63562	♀	—
65437	♂	—
62544	♀	w/ch

Not checked

HEIDEN PAOENIX IS.

10 OCT. 1966

LESSER FRIGATE RETURNS

	<u>SEX</u>	<u>AGE</u>	<u>STATUS</u>
✓ 777-54270	♀	A	w/ch
✓ 54299	♀	A	w/ch
✓ 54168	♂	A	w/ch
✓ 54164	♂	A	w/ch
✓ 54277	♀	A	w/ch

~~HEIDEN PHOENIX VS.~~
~~10 OCT. 1966~~

10 OCT. 1966

~~BANDING~~
~~BLUE-FACED BOOBY~~
~~757-60980~~ ~~SEX~~ ~~STATUS~~

HEIDEN PHOENIX IS.

10 OCT. 1966

BLUE-FACED BOOBY BANDING (ALL ADULTS)

	<u>SEX</u>	<u>STATUS</u>
757-60980	♂	w/ch (w 737-26112)
981	♀	w/ch (w 737-22882)
982	♀	—
983	♂	—
984	♂	w/ch (w 757-62610)
985	♂	w/ch
986	♀	OE
987	♀	w/ch (w 737-51245)
988	♀	RC
989	♂	RC
990	♀	RC
991	♀	ON NEST
992	♂	RC

HEIDEN

PHOENIX IS.
10 OCT. 1966

LESSER FRIGATE BANDING (ALL ADULT)

	<u>SEX</u>	<u>STATUS</u>
777-54301	♂	w/ch
302	♀	"
303	♂	"
304	♀	"
305	♀	"
306	♂	"
307	♂	"
308	♀	"
309	♂	"
310	♀	"
311	♀	"
312	♀	"
313	♂	"
314	♂	"
315	♂	"
316	♀	"
317	♀	"

LESSER FRIGATE BANDING (cont.)

	<u>SEX</u>	<u>STATUS</u>
777-54318	♂	w/ch
319	♀	"
320	♀	"
321	♀	"
322	♀	"
323	♀	"
324	♀	"
325	♂	"
326	♂	"
327	♂	"
328	♀	"
329	♂	"
330		"
331	♂	"
332	♀	"
333	♀	"
334	♂	"
335	♂	"
336	♂	"

HEIDEN


PHOENIX IS.

10 OCT. 1966

SOOTY TERN BANDING

	<u>AGE</u>	<u>SEX</u>	<u>STATUS</u>
863-53601-53649	A	U	U

863-53653	A	U	U
----------------------	---	---	---



4

5

6

7

8

11

12

13

14

1st	125	BFB
2nd	50	Lea Fry
3rd	25	ST.
		(14/100)

7530-222-0078
FEDERAL SUPPLY SERVICE

GPO c43-16-73124-2

Phoenix
Hawaii
Mammals

STC 15
Phoenix
10 Oct 1966

✓ ADP
CPA
Done 8/19/68

nest count

BFB

2 egg

LN

11

~~111~~

~~111~~

~~111~~

Oct 10

Bonds received

~~524-94868-94900~~

~~777-54101-200~~

~~514-82871-900~~

~~514~~

~~514-78055-78100~~

~~514-82943-83000~~

2

Allured

Books returned
64-94810-986

10 October 1966

Banding

Phenix Is pet

524-94868-900

68+69 pair

Ad - 81 Lerner Frigourets

777-54101-200 on nests

~~524-94868-900~~

10 October 1966 Returns

Andubons Shearwater
~~843-77452~~ Wob
~~743-35(8)59~~

Wedgetail Shearwater
~~605-22228~~
~~605-22817~~

10 October 1966

Sooty ~~return~~ Returns
~~853-05139~~ ^{AC} with brown
✓ ADP

Wedge tail recover
light phase

~~625-85814~~

Blue King Red Returns

~~652-45512~~ roosty

~~642-04075~~ IT

C Red Returns

~~753-69294~~ roosty ✓

✓ ADP 4 ~~69291~~ 4 ✓

~~753-02954~~ BP parent ✓

100 Oct 1966 CJS Returns

~~524-94972~~

~~514-50109~~

~~" 50359~~

~~514-82648~~

~~524-94994~~

~~544-50006~~

~~514-82699~~

~~524-12111~~

~~514-82626~~

~~" 82812~~

~~524-12157~~ } pair

~~" 12158~~

~~" 12169~~

~~" 12154~~

~~524-12152+514-16072~~

~~" 12136~~

~~12088 no other hand~~

~~514-82836~~

100 Oct 1966 CJS Adults 10 Oct

~~524-94870~~

~~70-544-50337~~

~~71- " 50143~~

~~72- " 50147 + LN~~

~~73- " 49818~~

~~74- " 50321~~

~~75- " 50108~~

~~76- " 49805~~

~~77- " 49806~~

~~78- " 50326~~

~~79- " 48404~~

~~80- " 50064 + LN~~

~~81- " 50091 + LN~~

~~82- " 50061~~

~~83- " 50045~~

~~84- " 50095~~

~~85- " 50053~~

~~86- " 50044~~

~~87- " 50074~~

~~88- " 50068~~

~~89- 514 76119~~

10 October CIS Returns + Banding
1966

90-514-76199

91 544-50084

92 " 50036

93 " 50017

94 " 50080

95 534-41576

96 534-41583

97 544-50056

98 514-76138

99 544-50051

900 544-50028

C.I. Shearwater 10 Oct 1966
Banding.

9. 514-82871-82900

CIS chicks

~~46-117-101-102~~

CTS. Adults 10 Oct 1966

514-78055-100 Banding

55 ~~54448301~~

56 ~~53441589~~

57 ~~54448314~~

58 " ~~48306~~ + ~~MA~~

59 " ~~48310~~

60 " ~~50043~~

61 ~~53441565~~ + LN

62 ~~54450063~~

63 " ~~50047~~

64 ~~51476106~~

65 ~~54450030~~

66 " ~~48321~~

67 " ~~48331~~

68 ~~53441557~~

69 ~~54449892~~

70 " ~~49898~~

71 " ~~49900~~

72 " ~~48360~~

73 ~~49886~~

10 October 1966
Bandings

Count + Return

74 ~~534-11552~~ C Is Shearwater

B

75 ~~544-12994~~

76 ~~534-41563~~ same

77 ~~544-49865~~

78 ~~514-76091~~

79 ~~544-48358~~

80 ~~534-41587~~ same

81 ~~544-12987~~ ★

82 ~~514-76177~~ spin No BP

83 ~~544-49843~~

84 " ~~49879~~

85 " ~~49831~~

86 ~~544-12985~~

87 " ~~49833~~

88 ~~534-41537~~

89 ~~514-76052~~

90 ~~544-12974~~

91 " ~~49823~~

92 ~~534-41521~~ same

93 ~~544-49821~~

Cont.

10 October 1966

Phoenix

LI Shear

Bandings +

Returns

94 ~~544-49826~~

95 ~~514-76049~~

96 ~~544-49822~~

97 ~~534-41520~~

98 " ~~41524~~

99 ~~544-50277~~


100 " ~~50232~~ with LN


Banding CJS Adults 10 Oct 1966

514-82943 - 83000

46 + 47 pair with MN

Handwritten notes on the left page, including a date "2-1-1952" and some illegible text.





7530-222-0078
FEDERAL SUPPLY SERVICE

GPO 643-16-78124-3

54015
M

54015

SIC 15
Phoenix
10 OCT 1966

NO ADP

~~CDA~~
Done 8/19/68

Smith

Phoenix Island

Bands Received

568-71601 Thru 71700
used

Banded 10 Oct 1966

~~BFB chicks~~

~~777-~~

~~56~~

58 ♂ egg
59 ♂ egg
60 ♀ chick
61 ♀ 2 chicks
62 ♀ chick
63 ♂ chick
64 ♂ chick
65 ♂ chick
66 ♂ chick
67 ♂ chick
68 ♀ chick
69 ♂ chick
70 ♂ chick


71-100 chicks

L. frigate

10 Oct. 1966

337 Ad ♂
54338 with chick
739 ♂ "
740 ♀ "
41 ♀ "
42 ♂ 1 egg
43 ♀ chick
44 ♂ "
45 ♂ "
46 ♂ "
47 ♂ "
48 ♀ "
49 ♂ "
50 ♂ "
51 ♂ egg
52 ♀ chick
53 ♂ "
54 ♂ "
55 ♂ egg
56 ♂ chick
57 ♀ "

Lesser Frigate Colony on NE
side of island about 200 yds from
beach - at edge of lagoon. Nests
in low vegetation or on ground
average height of nests from 0 to 6"
Colony in low vegetation - mixture
of ~~Portulaca~~ portulaca
The colony is in the shape
of a rough horseshoe and
at the NW end the chicks are
notably larger with fewer eggs
& small chicks - graduates to
small chicks & eggs at other
end



10 October 1966


Banding

Blue-faced Booby

~~568-71601-700 N-4~~

2271-2272
2271-2272

2271-2272





7530-222-0078
FEDERAL SUPPLY SERVICE

GPO c43-16-73121-2